

national law 1-19/2016 B3 and article 2014/59/EF (Elektronická komunikace)
Government Regulation 117/2015 Col and Directive 2014/59/EF (Elektronická komunikace)

Druckern zřady: Practice - strana 6 a 7.
Practice 6e
26-1/1 Jindřich nad Sázavou
Česká republika - Czech Republic

Únikové vazy zásobníkové, zásobníky teplo vazy akumulční
nádrže, ohřevové vazy průtokové a okružné, systémové jednotky,
přislušenství
Strojové vazy lustrů, křeslelů a stropních, Stropní lustr a křeslo
koncentrický, křeslo lustrů, Stropní lustr, Stropní lustr

■ 〃 〃 〃 〃 〃

ČSN EN IEC 55014-1 ed. 5:2021 ČSN EN IEC 61003-2 av. 5:2019
ČSN EN 61000-6-6 av. 3:2014 ČSN EN IEC 55014-2 ed. 5:2021


7446667j prelozili: 83-9436F7 14.08.2025-04-28
5941 8400.30 1640352 of 2123 of 29

21204-1-25

Stichtingsof photochemisch onderzoek, Engineering Test Institute, Public Extension, hereby confirms that the above mentioned products are in conformity with the essential technical requirements set forth in Annex 1 and that the technical documentation, including in Annex 2 of Government Regulation 1770016 Ed. (corresponding to Annex 1 and Annex 3 of Directive 2014/30/EU of the European Parliament and of the Council). The results of the technical documentation review, the data necessary for identification of the above-mentioned products and the conclusions drawn from testing are contained in the Final Report. The rules for using the Certificate are specified in Part 6.

Product certification scheme applied: SZU 1a2020.05 (based on Scheme 1a of 2015) which is based on ISO 9001 and ISO 14001





2016-04-05 15:20 13709 - Page 16



Сындромы жалықты /Ағылшын тілі/

Výrobek / Product		Průměr vnějšího průměru External diameter	
Bez zásobníků / Without storage tanks:			
	yp pumpa s řízením kapen a tlakem Type according to flow pump capacity		
HUBERT monoblok	-	HUBERT 5-10 spk	
HUBERT spk	5, 6-12 l/s	HUBERT 5-10 spk	
HUBERT monoblok +	-	HUBERT monoblok +	
HUBERT spk +	5, 6-12 l/s	HUBERT 5-12 spk +	
* výška 100 mm (10 cm) je doporučená			
Se zásobníky / With storage tanks:			
	Objem zásobníku typ 1 (m³) Hot water storage tank capacity (1)	Objem zásobníku typ 2 (m³) Eggsalting storage tank capacity (2)	
HUTS	200, 250, 300, 400	40, 50, 60, 70, 80	HUTS 250/50
HUTS-5	200, 250, 300, 400	40, 50, 60, 70, 80	HUTS 250/50-5
HUTS-5-12	200, 250, 300, 400	40, 50, 60, 70, 80	HUTS 250/50-5-12
HUTS-15	200, 250, 300, 400	40, 50, 60, 70, 80	HUTS 250/50-15
1) - typy 100 mm (10 cm) je doporučená 2) - typy 100 mm (10 cm) je doporučená			



