



Strojirenský zkušební ústav, s.p., autorizovaná osoba 202
Hudcova 424/56b, Medlánky, 621 00 Brno, Česká republika
Rozhodnutí o autorizaci č. 10/2020 ze dne 12. 08. 2020

CERTIFIKÁT VÝROBKU

č. 202/C5/2022/B-02083-22

V souladu s ustanovením § 5 odst. 2 nařízení vlády č. 163/2002 Sb., kterým se stanoví technické požadavky na vybrané stavební výrobky, ve znění nařízení vlády č. 312/2005 Sb. a nařízení vlády č. 215/2016 Sb., autorizovaná osoba potvrzuje, že u stavebních výrobků

typové označení:	Vodovodní baterie, řada Espirit, Eleganta, Vital, SYSTEM BOX viz 2. strana
varianty:	viz 2. strana
distributor:	RAVAK a.s. Obecnická 285 261 01 Příbram I Česká republika
identifikační číslo:	25612492
výrobce:	Rubinetterie F.lli Frattini S.p.A Via Roma, 125 - C/P. 107 28017 San Maurizio d'Opaglio (NO) ITALY

přezkoumala podklady předložené distributorem, provedla počáteční zkoušku typu výrobku na vzorku a posoudila způsob kontroly výrobků distributorem a zjistila, že uvedené výrobky splňují požadavky související se základními požadavky výše uvedeného nařízení vlády stanovené určenou normou ČSN EN 817:2009, vyhláškou MZ č. 409/2005 Sb. a technickými předpisy, a že způsob kontroly výrobků odpovídá příslušné technické dokumentaci a zabezpečuje, aby výrobky uváděné na trh splňovaly požadavky stanovené shora uvedenou určenou normou a uvedenými technickými předpisy a odpovídaly technické dokumentaci podle § 4 odst. 3 výše uvedeného nařízení vlády.


Nedílnou součástí tohoto certifikátu je závěrečný protokol č. 30-16055/TZ ze dne 2022-12-30, který obsahuje závěry zjišťování, ověřování, výsledky zkoušek a základní popis certifikovaného výrobku, nezbytné pro jeho identifikaci.

Tento certifikát byl poprvé vydán 2022-12-30 a zůstává v platnosti po dobu, po kterou se požadavky stanovené určenou normou a technickými předpisy, na které byl uveden odkaz, nebo způsob kontroly výrobků distributorem výrazně nezmění, nebo pokud autorizovaná osoba tento certifikát nezmění nebo nezruší.

Autorizovaná osoba provádí nejméně jedenkrát za 12 měsíců dohled nad řádným fungováním kontroly výrobků u distributora podle ustanovení § 5 odst. 5 výše uvedeného nařízení vlády, odebírá vzorky výrobků v místě výroby, provádí jejich zkoušky a posuzuje, zda vlastnosti výrobků odpovídají určené normě a technickým předpisům. O vyhodnocení dohledu vydá autorizovaná osoba zprávu, kterou předá distributorovi.

Brno, dne 2022-12-30




Ing. Tomáš Hruška
ředitel

202/C5/2022/B-02083-22 Strana 1 (3)





Specifikace výrobků:

Řada	Typ. označení	Název	Kartuše
Espirit	ES 022.xx	Vanová nástěnná baterie bez sprchového setu	K-35A
	ES 022.xx.+S	Vanová nástěnná baterie se sprchovým setem	K-35A
	ES 019.xx.O1.RB07B	Umyvadlová podomítková baterie bez tělesa	K-35A
	ES 012.xx	Umyvadlová stojánková baterie 190 mm, bez výpusti	KH-25OP
	ES 011.xx	Umyvadlová stojánková baterie 190 mm, s výpustí	KH-25OP
	ES 014.xx	Umyvadlová stojánková baterie 250 mm, bez výpusti	KH-25OP
	ES 015.xx	Umyvadlová stojánková baterie 340 mm, bez výpusti	KH-25OP
	ES 056.xx	Bidetová stojánková baterie 180 mm, bez výpusti	KH-25OP
	ES 055.xx	Bidetová stojánková baterie 180 mm, s výpustí	KH-25OP
	ES 032.xx	Sprchová nástěnná baterie bez sprchového setu	K-35A
	ES 062.xx.O1	Podomítková baterie 1-cestná s tělesem	K-35A
	ES 065.xx.O2.RB07E	Podomítková baterie 2-cestná bez tělesa	K-35A
	ES 065.xx.O2.RB07D.+S	Podomítková baterie 2-cestná bez tělesa, se setem	K-35A
	ES 068.xx.O3.RB07D.+S	Podomítková baterie 3-cestná bez tělesa, se setem	K-35A
	ES 065.xx.2.07F	Podomítková baterie 2-cestná bez tělesa	K-35A
	ES 068.xx.O3.RB07F	Podomítková baterie 3-cestná bez tělesa	K-35A
Eleganta	EL 022.xx	Vanová nástěnná baterie bez sprchového setu	K-35A
	EL 022.xx.+S	Vanová nástěnná baterie se sprchovým setem	K-35A
	EL 019.xx.O1.RB07B	Umyvadlová podomítková baterie bez tělesa	K-35A
	EL 012.xx	Umyvadlová stojánková baterie 170 mm, bez výpusti	KH-25OP
	EL 011.xx	Umyvadlová stojánková baterie 170 mm, s výpustí	KH-25OP
	EL 014.xx	Umyvadlová stojánková baterie 220 mm, bez výpusti	KH-25OP
	EL 015.xx	Umyvadlová stojánková baterie 335 mm, bez výpusti	KH-25OP
	EL 056.xx	Bidetová stojánková baterie 130 mm, bez výpusti	KH-25OP
	EL 055.xx	Bidetová stojánková baterie 130 mm, s výpustí	KH-25OP
	EL 032.xx	Sprchová nástěnná baterie bez sprchového setu	K-35A
	EL 062.xx.O1	Podomítková baterie 1-cestná s tělesem	K-35A
	EL 061.xx.O2	Podomítková baterie automatická 2-cestná s tělesem	K-35B
	EL 065.xx.O2.RB07E	Podomítková baterie 2-cestná bez tělesa	K-35A
	EL 065.xx.O2.RB07D.+S	Podomítková baterie 2-cestná bez tělesa, se setem	K-35A
	EL 068.xx.O3.RB07D.+S	Podomítková baterie 3-cestná bez tělesa, se setem	K-35A
	EL 065.xx.2.07F	Podomítková baterie 2-cestná bez tělesa	K-35A
	EL 068.xx.O3.RB07F	Podomítková baterie 3-cestná bez tělesa	K-35A
Vital	VT 022.xx	Vanová nástěnná baterie bez sprchového setu	K-35B
	VT 022.xx.+S	Vanová nástěnná baterie bez sprchového setu	K-35B
	VT 012.xx	Umyvadlová stojánková baterie 140 mm, bez výpusti	NKB-35OP
	VT 011.xx	Umyvadlová stojánková baterie 140 mm, s výpustí	NKB-35OP
	VT 056.xx	Bidetová stojánková baterie 130 mm, bez výpusti	NKB-35OP
	VT 055.xx	Bidetová stojánková baterie 130 mm, s výpustí	NKB-35OP
	VT 032.xx	Sprchová nástěnná baterie bez sprchového setu	K-35B
	VT 062.xx.O1	Podomítková baterie 1-cestná s tělesem	K-35A
SYSTEM BOX	VT 061.xx.O2	Podomítková baterie automatická 2-cestná s tělesem	K-35B
	07B.50	Základní těleso pro umyvadlové podomítkové baterie, R-box Basin	---
	07E.50	Základní těleso pro podomítkové baterie, R-box Vertical 1/2	---
	07F.50	Základní těleso pro podomítkové baterie, R-box Vertical 2/3	---
	07D.50	Základní těleso pro podomítkové baterie, R-box	---



Řada	Typ. označení	Název	Kartuše
Doplňkové značení: .xx povrchová úprava			
.00CR	Chrom		
.10WH	Bílá		
.10WV	Bílá velvet		
.20BL	Černá		
.20BLM	Černá mat		
.20BLCR	Černý chrom		
.20BLB	Černá kartáčovaná		
.20GB	Grafit kartáčovaný		
.30SS	Nerez		
.30SSB	Nerez kartáčovaná		
.40BR	Bronzová		
.60GL	Zlatá		
.60GLB	Zlato kartáčované		
.60RG	Růžové zlato		
.60RGB	Růžové zlato kartáčované		
.70RAB	Růžová antik kartáčovaná		





Strojirenský zkušební ústav, s.p.
(Engineering Test Institute, Public Enterprise), Authorized Body 202
Hudcova 424/56b, Medlánky, Brno, Czech Republic
Authorization Decision 10/2020 of 12 August 2020

PRODUCT CERTIFICATE

No. **202/C5/2022/B-02083-22**

In compliance with the provisions of Section 5 (2) of Government Regulation 163/2002 Coll., laying down technical requirements for selected construction products, as amended by Government Regulation 312/2005 Coll. and Government Regulation 215/2016 Coll., the Authorized Body hereby confirms that for the following construction products

	Mixer taps, series Espirit, Eleganta, Vital, SYSTEM BOX
Type designation:	see Page 2
Versions:	see Page 2
Distributor:	RAVAK a.s. Obecnická 285 261 01 Příbram I Czech Republic
Company ID No.:	25612492
Manufacturer:	Rubinetterie F.lli Frattini S.p.A Via Roma, 125 - C/P. 107 28017 San Maurizio d'Opaglio (NO) ITALY

It has reviewed the background materials submitted by the Distributor, carried out initial product type test on sample, assessed the method of product inspection applied by the Distributor and has ascertained that the products specified above comply with the requirements related to essential requirements of the abovementioned Government Regulation laid down by the specified standard ČSN EN 817:2009, Ministry of Health Decree 409/2005 Coll. and technical regulations, and that the method of product inspection is consistent with the relevant technical documentation and ensures that the products placed on the market comply with the requirements laid down by the abovementioned specified standard and technical regulations and that they are consistent with the technical documentation pursuant to Section (4) (3) of the said Government Regulation.

An integral part of this Certificate is Final Report 30-16055/TZ of 2022-12-30, which contains the conclusions drawn from the ascertainment, verifications, test results and essential description of the certified product, necessary for its identification.

This Certificate was first issued on 2022-12-30 and will remain valid as long as the requirements that are laid down by the specified standard and technical regulations, to which the reference is made, or the method of product inspection applied by the Distributor remain substantially unchanged, unless this Certificate is amended or cancelled by the Authorized Body.

At least once every 12 months, the Authorized Body carries out surveillance of proper functioning of product inspection at the Distributor's premises pursuant to provisions of Section 5 (5) of the abovementioned Government Regulation, takes samples of the products and tests these, and assesses whether the characteristics of the products comply with the specified standard and technical regulations. The Authorized Body will issue a report on evaluation of the surveillance and pass it to the Distributor.

Brno, 2022-12-30

202/C5/2022/B-02083-22 Page 1 (3)




Ing. Tomáš Hruška
Director





Specification of the products:

Series	Type designation	Description	Cartouche
Espirit	ES 022.xx	Wall-mounted bathtub tap without shower set	K-35A
	ES 022.xx.+S	Wall-mounted bathtub tap with shower set	K-35A
	ES 019.xx.O1.RB07B	Washbasin built-in tap without body	K-35A
	ES 012.xx	Washbasin standing tap 190 mm, without waste	KH-25OP
	ES 011.xx	Washbasin standing tap 190 mm, with waste	KH-25OP
	ES 014.xx	Washbasin standing tap 250 mm, without waste	KH-25OP
	ES 015.xx	Washbasin standing tap 340 mm, without waste	KH-25OP
	ES 056.xx	Bidet standing tap 180 mm, without waste	KH-25OP
	ES 055.xx	Bidet standing tap 180 mm, with waste	KH-25OP
	ES 032.xx	Wall-mounted shower tap without shower set	K-35A
	ES 062.xx.O1	Built-in tap, 1-way, with body	K-35A
	ES 065.xx.O2.RB07E	Built-in tap, 2-way, without body	K-35A
	ES 065.xx.O2.RB07D.+S	Built-in tap, 2-way, without body, with set	K-35A
	ES 068.xx.O3.RB07D.+S	Built-in tap, 3-way, without body, with set	K-35A
	ES 065.xx.2.07F	Built-in tap, 2-way, without body	K-35A
	ES 068.xx.O3.RB07F	Built-in tap, 3-way, without body	K-35A
	ES 061.xx.O2	Built-in tap, automatic, 2-way, with body	K-35B
Eleganta	EL 022.xx	Wall-mounted bathtub tap without shower set	K-35A
	EL 022.xx.+S	Wall-mounted bathtub tap with shower set	K-35A
	EL 019.xx.O1.RB07B	Washbasin built-in tap without body	K-35A
	EL 012.xx	Washbasin standing tap 170 mm, without waste	KH-25OP
	EL 011.xx	Washbasin standing tap 170 mm, with waste	KH-25OP
	EL 014.xx	Washbasin standing tap 220 mm, without waste	KH-25OP
	EL 015.xx	Washbasin standing tap 335 mm, without waste	KH-25OP
	EL 056.xx	Bidet standing tap 130 mm, without waste	KH-25OP
	EL 055.xx	Bidet standing tap 130 mm, with waste	KH-25OP
	EL 032.xx	Wall-mounted shower tap without shower set	K-35A
	EL 062.xx.O1	Built-in tap 1-way, with body	K-35A
	EL 061.xx.O2	Built-in tap, automatic, 2-way, with body	K-35B
	EL 065.xx.O2.RB07E	Built-in tap 2-way, without body	K-35A
	EL 065.xx.O2.RB07D.+S	Built-in tap 2-way, without body, with set	K-35A
	EL 068.xx.O3.RB07D.+S	Built-in tap 3-way, without body, with set	K-35A
	EL 065.xx.2.07F	Built-in tap 2-way, without body	K-35A
	EL 068.xx.O3.RB07F	Built-in tap 3-way, without body	K-35A
Vital	VT 022.xx	Wall-mounted bathtub tap without shower set	K-35B
	VT 022.xx.+S	Wall-mounted bathtub tap without shower set	K-35B
	VT 012.xx	Washbasin standing tap 140 mm, without waste	NKB-35OP
	VT 011.xx	Washbasin standing tap 140 mm, with waste	NKB-35OP
	VT 056.xx	Bidet standing tap 130 mm, without waste	NKB-35OP
	VT 055.xx	Bidet standing tap 130 mm, with waste	NKB-35OP
	VT 032.xx	Wall-mounted shower tap without shower set	K-35B
	VT 062.xx.O1	Built-in tap 1-way, with body	K-35A
SYSTEM BOX	VT 061.xx.O2	Built-in tap, automatic, 2-way, with body	K-35B
	07B.50	Basic body for washbasin built-in taps, R-box Basin	---
	07E.50	Basic body for built-in taps, R-box Vertical 1/2	---
	07F.50	Basic body for built-in taps, R-box Vertical 2/3	---
	07D.50	Basic body for built-in taps, R-box	---



Series	Type designation	Description	Cartouche
Additional marking: .xx surface finish			
.00CR	Chrome		
.10WH	White		
.10WV	White velvet		
.20BL	Black		
.20BLM	Black matt		
.20BLCR	Black chrome		
.20BLB	Black brushed		
.20GB	Graphite brushed		
.30SS	Stainless steel		
.30SSB	Stainless steel brushed		
.40BR	Bronze		
.60GL	Gold		
.60GLB	Gold brushed		
.60RG	Rose gold		
.60RGB	Rose gold brushed		
.70RAB	Rose antique brushed		

